



Vernon Morris Utility Solutions Ltd

Specialist Suppliers to the Utilities

VM 2 1/2" Digital Flow Gauge c/w Black Case

Product Code: DFGMETBC



Information

The **DFGMETBC** Digital Flow Gauge is designed to provide a digital flow read out when coupled to a hydrant standpipe. The Digital Flow Gauge comes supplied with a static assembly, which is used to measure static pressure at the hydrant standpipe. The equipment can be used for various applications to satisfy a number of sector requirements when it comes to assessing flow and pressure readings of both hydrant outlets and wet risers,

Contact us

Vernon Morris Utility Solutions Ltd
Airfield View, Hawarden Industrial
Park, Deeside, Flintshire, CH5
3QW, United Kingdom
Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.





Vernon Morris Utility Solutions Ltd

Specialist Suppliers to the Utilities

investigating ageing conditions and incidents of overloading of water distribution systems. It can also help assist in determining leaks. Typical sectors would include; Fire Brigades, Water Companies, Associated Fire Protection Services.

Features:

Flow Tube

- 2 ½" tube manufactured from aluminium alloy.
- Paddlewheel assembly manufactured from stainless steel.
- The flow tube can be fitted with any male inlet coupling to suit export requirements
- 2 ½" instantaneous male chromium plated static assembly with 3" gauge 0-140 mhd/14 bar BS EN 837-1 1.6%.
- Tested against G23113/1.M71 traceable to national standards (or other ranges to suit requirements).

Digital display

- Displays the actual total and flow rate simultaneously.
- Large digit selection for flow rate or total.
- The accumulated total can register up to 11 digits and is backed-up in EEPROM memory every minute, just as the running total.
- Digital display is powered by lithium battery, which provides 2-5 years of life.
- Accuracy $\pm 1\%$ F.S.D
- Flow range is 70-1800 L.P.M.

The Flow Gauge comes supplied in a polypropylene copolymer carry case which features:

- Watertight seal around the lid
- Waterproof and dustproof IP67 rated
- Easy to open double throw latches
- Load tested soft grip handle
- Holes for double padlocking
- Nylon hinge pins – corrosion free
- Temperature Rating -30/90°C

Availability: In Stock

Contact us

Vernon Morris Utility Solutions Ltd
Airfield View, Hawarden Industrial
Park, Deeside, Flintshire, CH5
3QW, United Kingdom
Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.





Vernon Morris Utility Solutions Ltd

Specialist Suppliers to the Utilities

£POA

Please enquire for the latest pricing & availability information for this item

Contact us

Vernon Morris Utility Solutions Ltd
Airfield View, Hawarden Industrial
Park, Deeside, Flintshire, CH5
3QW, United Kingdom
Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.

