
Vernon Morris Utility Solutions Ltd

Specialist Suppliers to the Utilities

False Spindle Cap 28mm - (30mm - 26mm) 1 1/8" Product Code: 12301







Information

False Valve Tops for Underground Hydrant Valves

Manufactured in a range of sizes to fit underground hydrants BS 5163 taper.

Designed to fit the original hydrant valve top and secured into position using the pinch bolt.

Contact us

Vernon Morris Utility Solutions Ltd
Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom
Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.

Vernon Morris Utility Solutions Ltd

Specialist Suppliers to the Utilities

The fitting of these false tops allows the valve to be operated using a standard valve key.

Other sizes are also available to enable the use of Jumbo and Euro size keys.

To assist you in making your choice; the three valve key sizes are listed below:

Standard valve keys have a square of approx. 1 3/8” (35mm)

Jumbo valve keys have a square of approx. 42mm

Euro valve keys have a square of approx. 48mm

To ensure complete compatibility with a wide range of underground hydrant valves Vernon Morris can supply false valve tops in many different sizes as listed below.

False Valve Tops

Note: The product highlighted in Blue is the item illustrated

		Dimension A		
Product Code	**Description**	**Imperial (Inches)**	**Metric (mm)**	**Taper**
12303	False Valve Top	1/2”	13	15 – 13mm
12309	False Valve Top	3/4”	19	20 – 15mm
12304	False Valve Top	1”	25	28 – 22mm
12301	**False Valve Top**	**1 1/8”**	**28**	**30 – 26mm**
12300	False Valve Top (Suitable for valves on pipe sizes of 200-300mm Dia.)	1 1/4”	31	32 – 28mm
12311	False Valve Top	1 1/2”	37	

Contact us

Vernon Morris Utility Solutions Ltd
Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom
Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.

British Assessment Bureau UKAS MANAGEMENT SYSTEMS 8289 ISO 14001 ENVIRONMENTAL MANAGEMENT

British Assessment Bureau UKAS MANAGEMENT SYSTEMS 8289 ISO 9001 QUALITY MANAGEMENT

12309A	42mm Jumbo-35mm Standard male top	42mm	Jumbo socket - Sta male (42 - 35mm)
12306	48mm Euro - 35mm Standard male top	48mm	Euro socket - Stand male (48 - 35mm)
12306A	55mm Jumbo Jumbo - 35mm Standard male top	55mm	Jumbo Jumbo soc Standard male (35mm)

Availability: In Stock

£POA

Please enquire for the latest pricing & availability information for this item

Contact us

Vernon Morris Utility Solutions Ltd
Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom
Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.