# Milwaukee 18v Angle Grinder 115mm 2x4.0Ah Li-lon, Charger Product Code: MIL18AG





# Information

#### Milwaukee HD18AG115-402C 18v Angle Grinder 115mm 2 x 4.0ah Li-Ion

Milwaukee's high performance 4-pole motor delivers maximum power whilst (optimising) maximising the power to weight ratio

Milwaukee 18v power tools all work off a flexible battery system - meaning that all M18 batteries can be used with all Milwaukee 18v power tools.

#### **Features and Benefits:**

- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gear case delivers heavy duty durability

#### Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

#### ©2025 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.







# **Vernon Morris Utility Solutions Ltd**

# **Specialist Suppliers to the Utilities**

- · Reduced height of gear box and slim girth design deliver optimum ergonomics
- · Non lockable switch for best user protection and preventing automatic start up
- · Burst resistant and tool-free safety guard for best user protection and fast adjustment
- Multi position side handle for ease of use
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Fuel gauge displays remaining charge
- REDLITHIUM-ION battery pack delivers up to 2x more run time, up to 20% more power, up to 2x more battery life and operates better down to -20°C than other lithiumion technologies
- Flexible battery system: works with all Milwaukee M18 batteries

#### **Technical Specifications:**

Sound pressure level (dB(A)) - 74.5

Sound pressure level uncertainty [dB[A]] - 3

Sound power level [dB[A]] - 85.5

Sound power level uncertainty [dB[A]] - 3

Vibration grinding [m|s<sup>2</sup>] - 7.3

Vibration grinding uncertainty [m|s<sup>2</sup>] - 1.5

Vibration sanding (m/s<sup>2</sup>) - 6.1

Vibration sanding uncertainty [m|s<sup>2</sup>] - 1.5

No load speed (rpm) - 9000

Voltage (V) - 18

Battery pack capacity (Ah) - 4.0

Battery type - Li-ion

Supplied in - Kitbox

Charger supplied - 80 min

No. of batteries supplied - 2

Spindle size - M 14

Cutting depth (mm) - 28

Line lock out function - No

Disc diameter (mm) - 115

Voltage (V) - 18

Battery pack capacity (Ah) - 4.0

Battery type - Li-ion

#### **Supplied With:**

#### Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

#### ©2025 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.





1 x 80 Minute Battery Charger 2 x 4.0ah 18v Lithium-ion Battery Packs 1 x Kitbox

Availability: In Stock

### **£POA**

Please enquire for the latest pricing & availability information for this item

#### Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

## ©2025 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.



