Water Pump 1" Koshin Pump SEV25L Product

Code: SEV25L











Information

Will pump out flooded meter chambers and P.R.V. pits. This pump can also be used to pump out flooded basements and cellars. The SEV-25L is lightweight (5.5 kg) and its compact size lets you take it wherever you want.

Model

SEV-25L

Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.







Vernon Morris Utility Solutions Ltd

Specialist Suppliers to the Utilities

Connection

25mm (1")

Dia

Connection Thread

Outer Pipe Thread

Total Head

32m (105 ft)

Delivery Volume

110 L/min (29USG/min)

Max. Suction Head

8m (26 ft)

Type

Forced Air Cooling 2 Stroke Gasoline Engine

Model

KC 26

Exhaust Volume

26 cc

Max. Output

0.7 kW (0.93 PS) / 7500 rpm

Fuel

2 Stroke Mixed Gasoline and Oil (50:1)

Fuel Tank Capacity

0.6 L

Continuous Operating

Time

Approx. 60 min

Starting Method

Recoil Starter

Standard Acessories

1 Strainer, 2 Hose Couplings, 3 Hose Bands,

1 Engine Tool Set

Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.





Net Weight 5.5 kg

Availability: In Stock

£POA

Please enquire for the latest pricing & availability information for this item

Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.



