

Whale Gusher Urchin Manual Fluid Transfer Pump Product Code: VM30005





Information

Features:

• 55 litres per minute

Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.







Vernon Morris Utility Solutions Ltd

Specialist Suppliers to the Utilities

- Removable clamp ring for easy maintenance
- Versatile design 2 nozzle sizes
- Fixed handle
- Lightweight 0.6kg
- Max. suction lift: 4m
- Max discharge head: 3m

Manufactured from glass-filled polypropylene (pump body), acetal (clamp ring), neoprene (diaphragm), glass-filled Nylon (operating lever), springs and stainless steel (fasteners).

This pump is designed to be permanently secured in place and features 4 holes to enable bolting to a surface. Select a suitable position for installation where the pump can be operated comfortably with the full movement of the handle available.

Specifications:

- Height: 280mm
- Width: 247mm
- Weight: 0.6kg
- Construction materials: glass-filled polypropylene, acetal, neoprene, glass-filled Nylon, springs and stainless steel

Availability: In Stock

£POA

Please enquire for the latest pricing & availability information for this item

Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.





Contact us

Vernon Morris Utility Solutions Ltd Airfield View, Hawarden Industrial Park, Deeside, Flintshire, CH5 3QW, United Kingdom Telephone: 01244 660794

©2024 Vernon Morris Utility Solutions Ltd.

All information is correct at time of publishing, however we reserve the right to change any information at any time.



